

SAPPHIRE

Adapting to Your Environment

Indoor, Outdoor and ADA

Wine Refrigerators | Ice Machines | Beverage Centers | Glass Door Refrigerators | Accessories



Welcome to the World of Sapphire

Discover the latest in innovation and design technology that was developed specifically for you and built to adapt to your environment. Sapphire's complete product line with detailed design, precise integration and unsurpassed performance sets a new standard in built-in undercounter ice-making and cooling products.

Sapphire is the newest addition to The Legacy Companies (TLC) portfolio of residential and commercial brands. TLC, a global leader based in Florida, is beyond equipped to tackle the challenges faced with integrated installation, flexibility and design which had not been resolved. Our development team consisted of five industry leaders from the undercounter ice machines and refrigeration product segment. Our observation was clear: The market doesn't need just "another" undercounter product. Most brands have treated the built-in undercounter segment as a filler to a line of appliances with limited innovation and thought. In many cases, the product is sourced from factories based on what they already produced.

The result: Sapphire. A product that not only exuded beauty and a refined look but also worked seamlessly into any environment and situation. Sapphire was created to be a leader in the industry – not just another brand extension, but a singular line that was entirely focused on what it takes to be the best in the undercounter space. Designing, engineering and manufacturing our product in our own factory!

With all the aspects of development and manufacturing under one roof, the Sapphire family of products works perfectly for the cook, the craft cocktail maker, entertainer and family for installation indoors, outdoors or ADA height applications.

The attention to design detail is evident from top to bottom, inside and out. From the beautiful signature Sapphire blue interior, seamless integration, door and handle design, shelves and bins, elegant lighting, Sapphire's precious elements are unmistakable.

For more stunning details, see each product page for further highlights.

Superior engineering and designed for luxury, your entertainment is effortless with Sapphire Appliances. Whether indoors or outdoors, Sapphire Appliances keep you cooler faster.

8 Ice Machines



Gourmet Cube



Square Cube



Nugget Cube



Crescent Cube

15 Ice Type Guide



Gourmet



Full Dice



Crescent



Nugget

16 Refrigerators



Indoor Refrigerator



Indoor Refrigerator



Outdoor Refrigerator



Indoor / Outdoor Refrigerator

20 Refrigerator Drawers



Indoor/Outdoor Drawer



Indoor Drawer



Outdoor Drawer

24 Beverage Centers



Indoor Beverage Center



Indoor Beverage Center



Indoor/Outdoor Beverage Center



4Pour Triple Zone Wine Bar

28 Wine Refrigerators



Indoor Single Zone



Indoor Single Zone



Indoor / Outdoor Single Zone

34 Accessories



36 Contact Info Warranty



Customer Service: 1.866.754.6672

Service for your Sapphire Appliance:
sapphire@adcosservice.com

Series 3 Designed to Deliver the Fit & Feel of a Premium Undercounter Product without the Premium Price.

Specific Engineering and design deliver a product with the attributes that meet the premium install and performance space but the feature and price level of a mass premium product.

OUT OF SIGHT, OUT OF MIND

Simple controls with loads of function. 4 Buttons with LED display shows set and actual temperature along with alert codes and the ability to run self-diagnosis, all while remaining out of sight.

HINGES ARE O' SO SLICK

Installs like a cabinet - no air gap needed with front breathing system resulting in a flush zero clearance installation.

LET IT SLIDE

Full extension shelves with stainless steel fronts allow for easy storage and visibility of all of your bottles, cans or other items.

LIGHTS, CAMERA, ACTION

Strategically located to supply a Cool White LED light to showcase the contents of your Beverage/Wine Center or Refrigeration unit with 2 top/front mounted LED light bars.

YOUR PLACE OR MINE

Shelves are adjustable with 9 different locations to adapt to various bottle and can sizes. Adjustable for today or tomorrow if your storage needs change.

THE BOTTOM IS AS IMPORTANT AS THE TOP

Thoughtfully designed 304 Stainless Steel fixed toe kick matches perfectly with door design and allows easy install with a clean finished appearance, set back to function like a cabinet toe kick.

THE TEMPERATURE IS RIGHT

provides fast cool down and maintains even temperature. Sapphire's cooling system is engineered with a powerful compressor, twin condenser motor fans, optimized wind route system and vortex technology to achieve fast cool down and even temperature resulting in an extremely energy efficient operation.



Series 5 Make Entertaining Easy With Sapphire's Superior Performance.

Superior engineering and designed for luxury, your entertainment is effortless with Sapphire Appliances. Whether indoors or outdoors, Sapphire Appliances keep you cooler faster.

EASY-TO-USE ELECTRONIC CONTROL

SYSTEM actively manages your ice-making and refrigeration systems. In addition to normal control functionality, you can easily manage lighting and hours of operation.

ADAPTABLE CANTILEVERED RACKING SYSTEM

allows you to choose from multiple locations and interchangeable inserts.

THE LED THEATER

LIGHTING illuminates through the shelves and/or racks, allowing you to clearly see what is inside.

WITH MULTIPLE RACK

LOCATIONS, the racking system allows you to choose from wine racks, tempered glass shelves or/and chrome-plated wire shelves if out of the box configurations are not ideal for your current needs.

UNMATCHED INTEGRATION

complemented by full stainless cabinet/ exterior and articulating hinge provides precise zero-clearance installation.



ADAPTABLE GRILLE DESIGN

allows meticulous alignment with adjacent cabinetry and the option to design a continuous cabinet toe kick.

TEMPERATURE MANAGEMENT & RECOVERY

provides fast cool down and maintains even temperature. Sapphire's cooling system is engineered with a powerful compressor, twin condenser motor fans, optimized wind route system and vortex technology to achieve fast cool down and even temperature resulting in an extremely energy efficient operation.

The Right Fit.

Select Sapphire models are sized and engineered to allow precise zero clearance for flush installation for unmatched integration into a standard 24" depth cabinet in any inset, frameless or overlay face-framed style cabinetry. This is accomplished by designing products to the same measurements as cabinet dimensions. Combine articulating hinges, adjustable toe kicks, panel-ready models and you have a product that will precisely and seamlessly install into your cabinets and design lines.

Select Sapphire products are panel-ready for your $\frac{3}{4}$ " custom door panel and handle. They include an adaptable grille design which allows meticulous alignment with adjacent cabinetry and the option to design a continuous cabinet toe kick. If a stainless-steel finish is a design requirement, these models will also precisely install within your cabinetry and toe kick, creating their own fashion statement.

Sapphire Panel-Ready products allow for adding a panel or frame of up to 25 lbs. (more than any other competitor).



Fits like a Cabinet, Not an Appliance.

Stainless Steel



Panel Ready



ICE MACHINES

The Legacy Companies' decades of commercial and restaurant-style ice machine innovations are now available for the residential marketplace. Sapphire offers four different ice types, producing up to 80 pounds of restaurant-quality clear, nugge or crescent ice per day, allowing you to select which ice type fits your lifestyle.



Indoor | 15" Countertop Crescent Ice Maker

Series 3

- Produces up to 20 lbs of ½" x ⅞" x 2 ⅝" crescent cubes per day
- Removable ice storage bin holds up to 15 lbs of crescent cubes
- Clear ice scoop and storage hook included
- Matte black prepainted cabinet exterior
- Black interior
- Countertop design or built-in with appropriate air gap
- Stainless steel door includes a 1" diameter stainless steel handle with faceted standoffs
- Easy-to-use On/Off control toggle switch
- Covered by the Sapphire Two-Year Parts & On-Site Labor and Five-Year Compressor Parts Only Limited Warranty
- Top mounted pin hinge
- Auto shut-off when ice bin is full
- Manual Defrost
- No Drain Required
- Longterm Ice Storage



Model Details

Model	Pump	Finish	Description	Shipping Weight
SCIMCTSS	No	Matte Black Prepainted Stainless	15" Premium Indoor Countertop Crescent Cube Ice Maker	53 lbs

Dimensions/Weight	Detail
Product Depth	24"
Product Height	17 ¼"
Product Width	14 ⅞"
Product Weight	50 lbs
Shipping Dimensions	19" x 26" x 21"
Shipping Weight	53 lbs



Indoor/Outdoor | 15" Built-In Crescent Ice Maker

- Industry first Stainless-Steel Panel Ready Door – Easily convert SS to Custom Panel option
- Indoor or Outdoor Installation ready
- Precise zero clearance design allows for integration into any built-in application
- Produces up to 25 lbs of $\frac{1}{2}$ " x $\frac{7}{8}$ " x 2 $\frac{3}{8}$ " crescent cubes per day
- Removable ice storage bin holds up to 20 lbs of crescent cubes
- Clear ice scoop and storage hook included
- Matte black prepainted cabinet exterior
- Black interior
- Mechanical thermostat control
- Auto shut-off when ice bin is full
- Unit ships right hinged with field-reversible doors
- Door close assist hinge helps ensure door closure
- Model includes a $\frac{3}{4}$ " diameter horizontal stainless steel handle
- 4 Independent adaptable leveling feet
- Fixed stainless steel grille design allows alignment with adjacent cabinetry and toe kick/plinth
- No Drain Required
- Longterm Ice Storage



Model Details

Model	Pump	Finish	Description	Shipping Weight
SCIM153SSPR	No	Stainless Steel	15" Indoor/Outdoor Ice Maker Crescent Cube	108 lbs

Dimensions/Weight	Detail
Product Depth	21 $\frac{1}{2}$ "
Product Height	33 $\frac{3}{4}$ " – 34 $\frac{3}{4}$ "
Product Width	14 $\frac{7}{8}$ "
Product Weight	62 lbs
Shipping Dimensions	17 $\frac{1}{4}$ " x 26 $\frac{1}{2}$ " x 35 $\frac{1}{4}$ "
Shipping Weight	108 lbs

*Refer to manual for all panel and installation instructions



Indoor/Outdoor | 15" Built-In Slab Cube Ice Machine

Series 3

- Industry first Stainless-Steel Panel Ready Door – Easily convert SS to Custom Panel option
- Indoor or Outdoor Installation ready
- Precise zero clearance design allows for integration into any built-in application
- Produces up to 70lbs of 7/8" x 7/8" x 7/8" Slab Full Dice, Restaurant quality clear ice
- Bin Stores up to 26lbs of clear slab ice clusters
- Factory Installed Drain Pump
- Clear Ice Scoop with storage hook included
- Auto Shut off when Ice Bin is full
- 3 Digit LED Controls with 4 buttons and 7 indicators
- Fast Ice Making Option to increase speed of ice production (can reduce clarity of ice)
- Adjust Ice Cube Size from 1 to 6 reducing the ice bridge thickness and dimple inside the cube
- Timed pause Ice making from 1 to 12 hours
- Clean Button designed to run 30-minute clean cycle required multiple times a year
- 6 Fault Code alarms to notify user of issues with machine
- LED Light
- Installation requires a customer-supplied water line and includes a 10ft factory installed drain line



Stainless



Panel Ready

Model Details

Model	Pump	Finish	Description	Shipping Weight
SSIM153SSPR	Yes	Panel Ready	15" Indoor Ice Machine Square Cube, Factory Installed Drain Pump	115 lbs
SSIM153SSPRADA	Yes	Panel Ready ADA Compliant	15" Indoor Ice Machine Square Cube, Factory Installed Drain Pump	111 lbs

Dimensions/Weight	Detail
Product Depth	24 1/2"
Product Height	34" – 33 3/4"
Product Width	14 7/8"
Product Weight	96 lbs
Shipping Dimensions	17 3/4" x 27 1/2" x 36 3/4"
Shipping Weight	115 lbs

Integration/Panel Information*	Detail
Panel Height	39 1/4" – 27 3/8"
Panel Thickness	3/4"
Panel Width	14 3/4"
Maximum Panel Weight	25 lbs

*Refer to manual for all panel and installation instructions



- Produces up to 75 lbs of $\frac{7}{8}$ " x $\frac{7}{8}$ " x $\frac{7}{8}$ " square ice cubes per day
- Bin stores up to 25 lbs of clear ice
- Energy Star rated
- Integrated water filter system removes any impurities producing the clearest ice, filter included
- Clear ice scoop and storage hook included
- Signature SAPPHIRE blue interior
- Fully wrapped stainless-steel exterior
- Articulating, concealed self-closing hinges with built-in door stop
- Multifunction capacitive touch electronic control
- Auto shut-off when ice bin is full
- Alert notifies when time to initiate easy cleaning process
- Quiet mode feature can be set to suspend ice-making production during specific times of the day
- Full LED theater lighting
- Unit ships right hinged with field-reversible doors
- Stainless model includes a 1" diameter stainless steel handle with faceted standoffs (26" length)
- Panel ready model requires $\frac{3}{4}$ " custom door panel and handle
- Precise zero clearance design allows for unmatched integration into any built-in setting
- 4 Independent adaptable leveling legs
- Black steel grille accepts an integrated toe kick
- Adaptable grille design allows alignment with adjacent cabinetry and toe kick/plinth
- Installation requires a customer-supplied water line and includes a 10 ft factory-installed drain line
- Factory-installed pump
- Replacement water filter part no. 601503



Stainless



Panel Ready

Model Details

Model	Pump	Finish	Description	Shipping Weight
SSIM15PSS	Yes	Stainless Steel	15" Indoor Ice Machine Square Cube, Factory Installed Drain Pump	115 lbs
SSIM15PPR	Yes	Panel Ready	15" Indoor Ice Machine Square Cube, Factory Installed Drain Pump	111 lbs
SSIM15PSSADA	Yes	Stainless Steel	15" Indoor Clear Ice Square Cube, Factory Installed Drain Pump	110 lbs
SSIM15PPRADA	Yes	Panel Ready	15" Indoor Clear Ice Square Cube, Factory Installed Drain Pump	105 lbs

Dimensions/Weight	Detail
Product Depth	23 $\frac{1}{4}$ "
Product Height	34" - 35" / 32" - 33" ADA
Product Width	14 $\frac{7}{8}$ "
Product Weight	96 lbs
Shipping Dimensions	17 $\frac{3}{4}$ " x 27 $\frac{1}{2}$ " x 36 $\frac{3}{4}$ "
Shipping Weight	115 lbs

Integration/Panel Information*	Detail
Panel Height	30" - 31"
Panel Thickness	$\frac{3}{4}$ "
Panel Width	14 $\frac{5}{8}$ "
Maximum Panel Weight	25 lbs

*Refer to manual for all panel and installation instructions



- Produces up to 68 lbs of 1½" x 1½" x 1½" individual gourmet cubes per day
- Bin stores up to 25 lbs of clear ice
- Energy Star rated (SIIM15PSS/PR)
- Integrated water filter system removes any impurities producing the clearest ice, filter included
- Clear ice scoop and storage hook included
- Signature SAPPHIRE blue interior
- Fully wrapped stainless-steel exterior
- Articulating, concealed self-closing hinges with built-in door stop
- Multifunction capacitive touch electronic control
- Auto shut-off when ice bin is full
- Alert notifies when time to initiate easy cleaning process
- Quiet mode feature can be set to suspend ice-making production during specific times of the day
- Full LED theater lighting
- Unit ships right hinged with field-reversible doors
- Stainless model includes a 1" diameter stainless steel handle with faceted standoffs (26" length)
- Panel ready model requires ¾" custom door panel and handle
- Precise zero clearance design allows for unmatched integration into any built-in setting
- 4 Independent adaptable leveling legs
- Black steel grille accepts an integrated toe kick
- Adaptable grille design allows alignment with adjacent cabinetry and toe kick/plinth
- Installation requires a customer-supplied water line and includes a 10 ft factory-installed drain line
- Factory-installed pump
- Replacement water filter part no. 601503
- Outdoor model available



Stainless



Panel Ready

Model Details

Model	Pump	Finish	Description	Shipping Weight
SIIM15PSS	Yes	Stainless Steel	15" Indoor Ice Machine Gourmet Cube, Factory Installed Drain Pump	120 lbs
SIIM15PPR	Yes	Panel Ready	15" Indoor Ice Machine Gourmet Cube, Factory Installed Drain Pump	114 lbs
SIIM15OD	Yes	Stainless Steel	15" Indoor/Outdoor Ice Machine Gourmet Cube, Factory Installed Drain Pump	117 lbs

Dimensions/Weight	Detail
Product Depth	23 ¼"
Product Height	34" - 35"
Product Width	14 ⅞"
Product Weight	120 lbs (Indoor) / 90 lbs (Outdoor)
Shipping Dimensions	17 ¾" x 27 ½" x 36 ¾"
Shipping Weight	120 lbs

Integration/Panel Information*	Detail
Panel Height	30" - 31"
Panel Thickness	¾"
Panel Width	14 ⅞"
Maximum Panel Weight	25 lbs

*Refer to manual for all panel and installation instructions



Energy Star - select models

- Produces 80Lbs of Nugget Ice Cubes per day
- Insulated Ice Bin Holds 26Lbs of ice
- Onboard and included TDS Meter to measure TDS in water supply
- Integrated water filter system removes any impurities, filter included
- Clear ice scoop and storage hook included
- Signature SAPPHIRE blue interior
- Fully wrapped stainless-steel exterior
- Articulating, concealed self-closing hinges with built-in door stop
- Multifunction capacitive touch electronic control
- Auto shut-off when ice bin is full
- Alert notifies when time to initiate easy cleaning process
- Quiet mode feature can be set to suspend ice-making production during specific times of the day
- Full LED theater lighting
- Unit ships right hinged with field-reversible doors
- Stainless model includes a 1" diameter stainless steel handle with faceted standoffs (26" length)
- Panel ready model requires ¾" custom door panel and handle
- Precise zero clearance design allows for unmatched integration into any built-in setting
- 4 Independent adaptable leveling legs
- Black steel grille accepts an integrated toe kick
- Adaptable grille design allows alignment with adjacent cabinetry and toe kick/plinth
- Installation requires a customer-supplied water line and includes a 10 ft factory-installed drain line
- Factory-installed pump
- Replacement water filter part no. 601503
- Outdoor model available



Stainless



Panel Ready

Model Details

Model	Pump	Finish	Description	Shipping Weight
SNIM155PSS	Yes	Stainless Steel	15" Indoor Nugget Ice Machine, Factory Installed Drain Pump	120 lbs
SNIM155PPR	Yes	Panel Ready	15" Indoor Nugget Ice Machine, Factory Installed Drain Pump	114 lbs
SNIM155OD	Yes	Stainless Steel	15" Indoor/Outdoor Nugget Ice Machine, Factory Installed Drain Pump	117 lbs

Dimensions/Weight	Detail
Product Depth	23 ¾"
Product Height	34" - 35"
Product Width	14 ¾"
Product Weight	120 lbs (Indoor) / 90 lbs (Outdoor)
Shipping Dimensions	17 ¾" x 27 ½" x 36 ¾"
Shipping Weight	120 lbs

Integration/Panel Information*	Detail
Panel Height	30" - 31"
Panel Thickness	¾"
Panel Width	14 ¾"
Maximum Panel Weight	25 lbs

*Refer to manual for all panel and installation instructions






Gourmet


Full Dice

Crescent


Nugget




Gourmet ice is formed on a horizontal mounted evaporator. Water is sprayed across the evaporator surface freezing in thin layers allowing impurities to fall and fresh water to freeze. Gourmet Ice Machines make 24 individual cubes per harvest every 27 minutes with daily production of up to 68lbs of ice or 1,296 Cubes. Ice machines require plumbed water and a drain to expel the melting ice and impurities. Ice machines are not freezers and do not store ice long term.



Full Dice or Slab ice is made in a sheet of ice cubes. The water flows across the vertical mounted evaporator to freeze in thin layers allowing impurities to fall and fresh water to freeze. Full Dice Ice Machines make 40 cubes per sheet per harvest every 20 minutes with daily production of up to 75lbs of ice or 3,000 Cubes. Ice machines require plumbed water and a drain to expel the melting ice and impurities. Ice machines are not freezers and do not store ice long term.



Crescent Ice is made by water filling into an ice mold. Cold air is circulated around the mold causing the ice to freeze omnidirectionally. This method of making ice traps impurities in the center of the ice which produces ice with bubbles and a cloudy appearance. Crescent Ice Machines make 10 cubes per cycle approximately every 30 minutes with daily production of up to 25lbs of ice or 250 Cubes per day. Crescent cubes are made in freezers and provide long term storage.



Nugget Ice is made with a cylindrical reservoir evaporator system. The water freezes and is scraped and mixed with cold water in a slurry that is forced through small holes to make the nugget shape out of the slurry. The ice is then pushed out into the bin. The Nugget Ice Machine will make 80 lbs of ice a day. Ice machines require plumbed water and a drain to expel the melting ice. Ice machines are not freezers and do not store ice long term.

REFRIGERATORS

Perfect for your kitchen, bar, gym, home theater or outdoor entertainment area, Sapphire offers both 15" and 24" width solid door refrigerator models for inside or outside the home.

With slide-out, full extension, easily adjustable glass or chrome wire shelf inserts and clear storage bins, Sapphire units offer maximum storage optimization on select models.



- Industry first Stainless-Steel Panel Ready Door – Easily convert SS to Custom Panel option
- Indoor or Outdoor Installation ready
- Precise zero clearance design allows for integration into any built-in application
- Volume of 5.5 cubic feet, holds (219) 12 oz cans or (107) 12 oz bottles
- Matte black prepainted cabinet exterior
- Black interior
- Electronic control with LED display
- Temperature range: 34 °F to 65 °F
- Fan-assisted cooling system allows for even temperatures, quicker cooldown times, and added efficiency
- Cool white LED lighting
- Adaptable racking system includes 3 glass shelves
- Unit ships right hinged with field-reversible doors
- 4 Independent adaptable leveling legs
- Fixed stainless steel toe-kick
- Automatic defrost
- Energy Star rated



Model Details

Model	Finish	Description	Shipping Weight
SR243SSPR	Panel Ready	24" Indoor / Outdoor Refrigerator	157 lbs
SR243SSPRADA	Panel Ready ADA Compliant	24" Indoor / Outdoor Refrigerator	150 lbs

Dimensions/Weight	Detail
Product Depth	25 ¼"
Product Height	33 ¾" – 34 ¾"
Product Width	23 ¾"
Product Weight	128 lbs
Product Volume	5.5 cu ft
Shipping Dimensions	26 ½" x 27 ½" x 35 ¼"
Shipping Weight	160 lbs



Indoor | 15" Refrigerator

- Volume of 2.8 cubic feet, holds (78) 12 oz cans or (48) 12 oz bottles
- Energy Star rated
- Signature SAPPHIRE blue interior
- Full wrapped stainless-steel exterior
- Articulating, concealed self-closing hinges with built-in door stop
- Multifunction capacitive touch electronic control
- Temperature range: 34 °F to 65 °F
- Fan-assisted cooling system allows for even temperatures, quicker cooldown times, and added efficiency
- Full-length flush LED theater lighting
- Adaptable racking system includes 3 stainless front, full-extension racks with tempered glass shelf inserts. Optional shelf inserts include gray wine rack inserts making it easy to adapt to food and beverage storage needs
- Unit ships right hinged with field-reversible doors
- Stainless model includes a 1" diameter stainless steel handle with faceted standoffs (26" length)
- Panel ready model requires ¾" custom door panel and handle
- Precise zero clearance design allows for unmatched integration into any built-in setting
- 4 Independent adaptable leveling legs
- Adaptable grille accepts an integrated toe kick and allows front/back and up/down alignment with adjacent cabinetry and toe kick/plinth
- Automatic defrost
- Lock standard on stainless model

Stainless
with Lock

Panel Ready

Model Details

Model	Lock	Finish	Description	Shipping Weight
SR15SS	Yes	Stainless Steel	15" Indoor Refrigerator, Factory Installed Lock	122 lbs
SR15PR	No	Panel Ready	15" Indoor Refrigerator	118 lbs

Refer to page 52 for accessories

Dimensions/Weight	Detail
Product Depth	23 ¼"
Product Height	34" – 35"
Product Width	14 ⅞"
Product Weight	99 lbs
Product Volume	2.8 cu ft
Shipping Dimensions	17 ¾" x 27 ½" x 36 ¾"
Shipping Weight	122 lbs

Integration/Panel Information*	Detail
Panel Height	30" – 31"
Panel Thickness	¾"
Panel Width	23 ⅞"
Maximum Panel Weight	25 lbs

*Refer to manual for all panel and installation instructions



- Volume of 5.1 cubic feet, holds (147) 12 oz cans or (103) 12 oz bottles
- Energy Star rated (SR24SS/PR)
- Signature SAPPHIRE blue interior
- Full wrapped stainless-steel exterior
- Articulating, concealed self-closing hinges with built-in door stop
- Multifunction capacitive touch electronic control
- Temperature range: 34 °F to 65 °F
- Fan-assisted cooling system allows for even temperatures, quicker cooldown times, and added efficiency
- Full-length flush LED theater lighting
- Adaptable racking system includes 3 stainless front, full-extension racks with tempered glass shelf inserts. Optional shelf inserts include gray wine rack inserts and/or chrome-plated wire shelf inserts making it easy to adapt to food and beverage storage needs
- Clear bottom crisper drawer
- Unit ships right hinged with field-reversible doors
- Stainless model includes 1" diameter stainless steel handle with faceted standoffs (26" length)
- Panel ready model requires ¾" custom door panel and handle
- Precise zero clearance design allows for unmatched integration into any built-in setting
- 4 Independent adaptable leveling legs
- Adaptable grille accepts an integrated toe kick and allows front/back and up/down alignment with adjacent cabinetry and toe kick/plinth
- Automatic defrost
- Lock standard on stainless model
- Outdoor model available

Stainless
with Lock

Panel Ready

Model Details

Model	Lock	Finish	Description	Shipping Weight
SR24SS	Yes	Stainless Steel	24" Indoor Refrigerator, Factory Installed Lock	163 lbs
SR24PR	No	Panel Ready	24" Indoor Refrigerator	155 lbs
SR24OD	Yes	Stainless Steel	24" Outdoor Refrigerator, Factory Installed Lock	159 lbs
SR24SSADA	Standard	Stainless Steel	24" ADA Refrigerator, Factory Installed Lock	154 lbs
SR24PRADA	No	Panel Ready	24" ADA Refrigerator	148 lbs

Refer to page 53 for accessories

Dimensions/Weight	Detail
Product Depth	23 ¾"
Product Height	34" – 35" (ADA Height - 32" – 33")
Product Width	23 ⅞"
Product Weight	133 lbs (ADA Weight - 126 lbs)
Product Volume	5.1 cu ft (ADA P.V. - 4.7 cu ft)
Shipping Dimensions	26 ¾" x 27 ½" x 36 ¾"
Shipping Weight	163 lbs (ADA S. Weight - 154 lbs)

Integration/Panel Information*	Detail
Panel Height	30" – 31" (ADA - 28" – 29")
Panel Thickness	¾"
Panel Width	23 ⅞"
Maximum Panel Weight	25 lbs

*Refer to manual for all panel and installation instructions



Energy Star - select models

A kitchen scene featuring a built-in refrigerator with drawers. The refrigerator is integrated into white cabinetry. Above the counter, there are open shelves with various items like teapots and plates. A chandelier hangs from the ceiling. The countertop is decorated with a vase of white roses, a small lamp, and a tray with glasses and a bottle. A blue towel hangs from a drawer handle. The floor has a floral rug.

REFRIGERATOR DRAWERS

When drawers, not cabinet doors, are at the forefront of your design, place a Drawer model in your home or outdoor design.

Sapphire offers enhanced accessibility with full-extension stainless steel lined drawers with dividers - to allow access to your food, condiments, beverages and other refrigerated goods.

- Industry first Stainless-Steel Panel Ready Drawer – Easily convert SS to Custom Panel option
- Indoor or Outdoor Installation ready
- 3 Digit LED Controls with 4 buttons and 7 indicators
- 15" Undercounter refrigerator with 2 drawers equipped with 2 full-extension stainless steel lined drawers
- Storage capacity to hold (78) 12 oz cans or (49) 12 oz bottles
- Adaptable install ready for use both indoors and outdoors
- This model is equipped with a stainless steel panel with handle that is easily removed to replace with a custom ¾" door panel
- Easy-to-use electronic control system actively manages the refrigeration system, including lighting and alert functions
- Temperature range of 34°F to 65°F is ideal for your food, condiments, beverages, and other refrigerated goods
- Fan-assisted cooling system allows for even temperatures, quicker cool-down times, and added efficiency
- Covered by the Sapphire Two-Year Parts & On-Site Labor and Five-Year Compressor Parts Only Limited Warranty



Model Details

Model	Lock	Finish	Description	Shipping Weight
SRD153SSPR	No	Stainless Steel	15" Premium Indoor/Outdoor Refrigerator Drawers	-- lbs


Dimensions/Weight	Detail
Product Depth	23 ⅞"
Product Height	33 ⅞"
Product Width	14 ⅞"
Product Weight	87.5 lbs
Product Volume	-- cu ft
Shipping Dimensions	--" x --" x --"
Shipping Weight	-- lbs

Integration/Panel Information*	Detail
Panel Height	2 Panels: 14 ¾" each
Panel Thickness	¾"
Panel Width	23 ⅞"
Maximum Panel Weight	25 lbs

*Refer to manual for all panel and installation instructions



- Industry first Stainless-Steel Panel Ready Drawer – Easily convert SS to Custom Panel option
- Indoor or Outdoor Installation ready
- 3 Digit LED Controls with 4 buttons and 7 indicators
- Can be installed indoors or outdoors
- Volume of 5.5 cubic feet, holds (182) 12 oz cans or (101) 12 oz bottles
- Holds milk gallons
- Black interior
- 2 Full-extension stainless steel lined drawers
- Matte black pre-painted cabinet exterior
- Electronic control with LED display
- Temperature range: 34 °F to 65 °F
- Fan-assisted cooling system allows for even temperatures, quicker cooldown times, and added efficiency
- Cool white LED lighting
- Adaptable divider in the top drawer allows customization of drawer space
- 4 Independent adaptable leveling legs
- Fixed stainless steel toe-kick
- Automatic defrost



Model Details

Model	Lock	Finish	Description	Shipping Weight
SRD243SSPR	No	Panel Ready	24" Indoor/Outdoor Refrigerator Drawers	122lbs


Dimensions/Weight	Detail
Product Depth	23 ¼"
Product Height	33 ½"(852) ~ 34 ½"(878)
Product Width	23 ⅞"
Product Weight	103 lbs
Product Volume	5.5 cu ft
Shipping Dimensions	26 ¾" x 27 ½" x 36 ¾"
Shipping Weight	155 lbs

Integration/Panel Information*	Detail
Panel Height	2 Panels: 14 ¾" each
Panel Thickness	¾"
Panel Width	23 ⅞"
Maximum Panel Weight	25 lbs

*Refer to manual for all panel and installation instructions



- Volume of 4.6 cubic feet, holds (147) 12 oz cans or (93) 12 oz bottles
- Energy Star rated (SRD24SS/PR)
- Holds milk gallons
- Signature SAPPHIRE blue interior
- Full wrapped stainless-steel exterior
- 2 Full-extension stainless steel lined drawers
- Multifunction capacitive touch electronic control
- Temperature range: 34 °F to 65 °F
- Fan-assisted cooling system allows for even temperatures, quicker cooldown times, and added efficiency
- Full LED theater lighting
- Adaptable stainless steel dividers in each drawer allows customization of drawer space
- Stainless model includes 1" diameter stainless steel handles with faceted standoffs (22" length)
- Panel ready model requires ¾" custom door panel and handle
- 4 Independent adaptable leveling legs
- Adaptable grille accepts an integrated toe kick and allows front/back and up/down alignment with adjacent cabinetry and toe kick/plinth
- Automatic defrost
- Lock standard on stainless model
- Outdoor model available

Stainless
with Lock

Panel Ready

Model Details

Model	Lock	Finish	Description	Shipping Weight
SRD24SS	Yes	Stainless Steel	24" Indoor Refrigerator Drawers, Factory Installed Lock	157 lbs
SRD24PR	No	Panel Ready	24" Indoor Refrigerator Drawers	154 lbs
SRD24OD	Yes	Stainless Steel	24" Indoor /Outdoor Refrigerator Drawers, Factory Installed Lock	157 lbs

Dimensions/Weight	Detail
Product Depth	23 ¼"
Product Height	34" - 35"
Product Width	23 ⅞"
Product Weight	127 lbs (Indoor) / 129 lbs (Outdoor)
Product Volume	4.6 cu ft
Shipping Dimensions	26 ¾" x 27 ½" x 36 ¾"
Shipping Weight	157 lbs

Integration/Panel Information*	Detail
Panel Height	2 Panels: 14 ⅞" each
Panel Thickness	¾"
Panel Width	23 ⅞"
Maximum Panel Weight	25 lbs

*Refer to manual for all panel and installation instructions



Energy Star - select models

BEVERAGE CENTERS

The Sapphire Beverage Center products provide convenience, flexibility and value anywhere in your home.

Select units are beautifully designed with the signature Sapphire Blue interior and illuminate with full LED theater lighting. Series 5 models have been engineered with a cantilevered racking system and interchangeable shelf and rack inserts, making it easy to accommodate your current food and beverage storage needs and adapt as your preferences evolve over time – all in the same unit.



- Industry first Stainless-Steel Panel Ready Door – Easily convert SS to Custom Panel option
- Indoor or Outdoor Installation ready
- Precise zero clearance design allows for integration into any built-in application
- 3 Digit LED Controls with 4 buttons and 7 indicators
- Volume of 5.5 cubic feet, holds (173) 12 oz cans, (94) 12 oz bottles, or (8) 750ml wine bottles
- Matte black prepainted cabinet exterior
- Black interior
- Electronic control with LED display
- Temperature range: 34 °F to 65 °F
- Fan-assisted cooling system allows for even temperatures, quicker cooldown times, and added efficiency
- Cool white LED lighting
- Adaptable racking system includes 3 stainless front, full-extension racks with 2 tempered glass shelf inserts and 1 wine rack insert
- Unit ships right hinged with field-reversible doors
- Door close assist hinge helps ensure door closure
- 4 Independent adaptable leveling legs
- Fixed stainless steel toe-kick
- Automatic defrost




Model Details

Model	Finish	Description	Shipping Weight
SBC243SSPR	Panel Ready	24" Indoor Premium Beverage Center	173 lbs
SBC243SSPRADA	Panel Ready ADA Compliant	24" Indoor Premium Beverage Center	169 lbs

Dimensions/Weight	Detail
Product Depth	25 ¼"
Product Height	33 ¾" – 34 ¾" (ADA Height - 32" – 33")
Product Width	23 ⅞"
Product Weight	143 lbs (ADA Weight - 140 lbs)
Product Volume	5.5 cu ft (ADA P.V. - 4.7 cu ft)
Shipping Dimensions	26 ½" x 27 ½" x 35 ¼"
Shipping Weight	176 lbs (ADA S. Weight - 169 lbs)



- Preserves up to 23 (750 ml) wine bottles
- Energy Star rated
- Low e, argon gas-filled triple-paned tempered glass door with uv coating
- Signature SAPPHIRE blue interior
- Full wrapped stainless-steel exterior
- Articulating, concealed self-closing hinges with built-in door stop
- Multifunction capacitive touch electronic control
- Temperature settings range from 34 °F to 65 °F; allows for ideal preservation of any collection
- Fan-assisted cooling system allows for even temperatures, quicker cooldown times, and added efficiency
- Full-length flush LED theater lighting can be set to display your collection for 4 or 6 hours or schedule nightlight feature
- Adaptable racking system includes 5 stainless front, full-extension racks with gray wine rack inserts and 1 fixed bottom display wine rack insert. Optional shelf inserts include tempered glass shelf inserts making it easy to adapt to food and beverage storage needs
- Unit ships right hinged with field-reversible doors
- Stainless model includes a 1" diameter stainless steel handle with faceted standoffs (26" length)
- Panel ready model requires ¾" custom door panel and handle
- Precise zero clearance design allows for unmatched integration into any built-in setting
- 4 Independent adaptable leveling legs
- Adaptable grille accepts an integrated toe kick and allows front/back and up/down alignment with adjacent cabinetry and toe kick/plinth
- Automatic defrost
- Lock standard on stainless steel model



Panel Ready

Model Details

Model	Lock	Finish	Description	Shipping Weight
SBCR15SSS	Yes	Stainless Steel Frame	15" Beverage Center, Factory Installed Lock	117 lbs
SBCR15PR	No	Panel Ready Frame	15" Beverage Center	115 lbs

Refer to page 52 for accessories

Dimensions/Weight	Detail
Product Depth	23 ¼"
Product Height	34" - 35"
Product Width	14 ¾"
Product Weight	120 lbs
Shipping Dimensions	17 ¾" x 27 ½" x 36 ¾"
Shipping Weight	117 lbs
Bottle Capacity	Up to 23 (750 ml) standard bottles

Integration/Panel Information*	Detail
Panel Height	30" - 31"
Panel Thickness	¾"
Panel Width	14 ¾"
Maximum Panel Weight	25 lbs

*Refer to manual for all panel and installation instructions



- Volume of 5.1 cubic feet, holds 8 standard wine bottles and (147) 12 oz cans or (79) 12 oz bottles
- Signature SAPPHIRE blue interior
- Full wrapped stainless-steel exterior
- Articulating, concealed self-closing hinges with built-in door stop
- Low e, argon gas-filled triple-paned tempered glass door with uv coating
- Multifunction capacitive touch electronic control
- Temperature range: 34 °F to 65 °F
- Fan-assisted cooling system allows for even temperatures, quicker cooldown times, and added efficiency
- Full-length flush LED theater lighting can be set to display your collection for 4 or 6 hours or schedule nightlight feature
- Adaptable racking system includes 3 stainless front, full-extension racks with 2 tempered glass shelf inserts and 1 gray wine rack insert. Optional shelf inserts include gray wine rack inserts and/or chrome-plated wire shelf inserts making it easy to adapt to food and beverage storage needs
- Clear bottom crisper drawer
- Unit ships right hinged with field-reversible doors
- Stainless model includes 1" diameter stainless steel handle with faceted standoffs (26" length)
- Panel ready model requires 3/4" custom door panel and handle
- Precise zero clearance design allows for unmatched integration into any built-in setting
- 4 Independent adaptable leveling legs
- Adaptable grille accepts an integrated toe kick and allows front/back and up/down alignment with adjacent cabinetry and toe kick/plinth
- Automatic defrost
- Lock standard on stainless model

Stainless
with Lock

Panel Ready

Model Details

Model	Lock	Finish	Description	Shipping Weight
SBCR24SS	Yes	Stainless Steel	24" Beverage Center, Factory Installed Lock	180 lbs
SBCR24PR	No	Panel Ready	24" Beverage Center	172 lbs
SBCR24SSADA	Yes	Stainless Steel ADA Compliant	24" Beverage Center, Factory Installed Lock	169 lbs
SBCR24PRADA	No	Panel Ready ADA Compliant	24" Beverage Center	162 lbs

Refer to page 53 for accessories

Dimensions/Weight	Detail
Product Depth	23 3/4"
Product Height	34" - 35" (ADA Height - 32" - 33")
Product Width	23 3/8"
Product Weight	149 lbs (ADA Weight - 140 lbs)
Product Volume	5.1 cu ft (ADA P.V. - 4.7 cu ft)
Shipping Dimensions	26 3/4" x 27 1/2" x 36 3/4"
Shipping Weight	180 lbs (ADA S. Weight - 169 lbs)

Integration/Panel Information*	Detail
Panel Height	30" - 31" (ADA - 28" - 29")
Panel Thickness	3/4"
Panel Width	23 3/8"
Maximum Panel Weight	25 lbs

*Refer to manual for all panel and installation instructions



WINE REFRIGERATORS

Help safeguard your wine and store up to 56 standard 750 ml bottles in a Sapphire Wine Refrigerator.

All facets were considered while designing and engineering the Sapphire line. The adaptable cantilevered racking systems and wine rack inserts in select models accommodate even the most unique-sized bottles in your wine collection. Virtually vibration-free operation alleviates any unwanted cavitation and Argon-filled UV-coated glass front doors protect your wine from light damage. Finally, the temperature control system maintains your wine for proper storage, maturation and integrity. Cheers!



Space Management. Life Changes. Accessibility.

Accessorize your Sapphire. The ability to manage a variety of wine bottles and can sizes in addition to other storage needs is at the forefront of Sapphire design. Select Sapphire models have been engineered with cantilevered racking systems and interchangeable inserts, making it easy to adapt for your current food and beverage storage needs as your preferences evolve over time.

With multiple rack locations, the racking system allows you to choose from wine racks, tempered glass shelves and chrome-plated wire shelves if out of the box configurations are not ideal for your current needs. Of course, as your food and beverage demands change, you can adapt your unit with the appropriate racks and insert accessories to fit your new needs.

All racks and shelves are full extension glide-out – making access to your food and beverage items easy and convenient, even if items are hidden in the back. The LED lighting illuminates through the shelves and racks, allowing you to clearly see what is inside.




750 ml

**SPECIALTY
WINE RACK
INSERT**



750 ml


**STANDARD
WINE RACK
INSERT**



**TEMPERED
GLASS SHELF
INSERT**

**CHROME
WIRED SHELF
INSERT**

- Industry first Stainless-Steel Panel Ready Door – Easily convert SS to Custom Panel option
- Indoor or Outdoor Installation ready
- Precise zero clearance design allows for integration into any built-in application
- 3 Digit LED Controls with 4 buttons and 7 indicators
- Volume of 5.5 cubic feet, holds (54) 750ml wine bottles
- Matte black prepainted cabinet exterior
- Black interior
- Electronic control with LED display
- Temperature range: 38 °F to 65 °F
- Fan-assisted cooling system allows for even temperatures, quicker cooldown times, and added efficiency
- Cool white LED lighting
- Adaptable racking system includes 7 stainless front, full-extension racks with 6 wine rack inserts and 1 bottom half wine rack insert
- Unit ships right hinged with field-reversible doors
- Door close assist hinge helps ensure door closure
- 4 Independent adaptable leveling legs
- Fixed stainless steel toe-kick
- Automatic defrost
- Energy Star rated



Model Details

Model	Finish	Description	Shipping Weight
SW243SZSSPR	Panel Ready	24" Indoor/Outdoor Value Premium Single Zone Wine Refrigerator	189 lbs
SW243DZSSPR	Panel Ready	24" Indoor/Outdoor Value Premium Dual Zone Wine Refrigerator	186 lbs
SW243SZSSPRADA	Panel Ready ADA Compliant	24" Indoor/Outdoor Value Premium Single Zone Wine Refrigerator	180 lbs

Dimensions/Weight	Detail
Product Depth	25 ¼"
Product Height	33 ¾" – 34 ¾" (ADA Height - 32" – 33")
Product Width	23 ⅞"
Product Weight	157 lbs (ADA Weight - 140 lbs)
Shipping Dimensions	26 ½" x 27 ½" x 35 ¼"
Shipping Weight	189 lbs (ADA S. Weight -
Bottle Capacity	Up to 54 (750 ml) standard bottles



Indoor | 15" Single Zone Wine Refrigerator

Series 5

- Preserves up to 23 (750 ml) wine bottles
- Energy Star rated
- Low e, argon gas-filled triple-paned tempered glass door with uv coating
- Signature SAPPHIRE blue interior
- Full wrapped stainless-steel exterior
- Articulating, concealed self-closing hinges with built-in door stop
- Multifunction capacitive touch electronic control
- Temperature settings range from 34 °F to 65 °F; allows for ideal preservation of any collection
- Fan-assisted cooling system allows for even temperatures, quicker cooldown times, and added efficiency
- Full-length flush LED theater lighting can be set to display your collection for 4 or 6 hours or schedule nightlight feature
- Adaptable racking system includes 5 stainless front, full-extension racks with gray wine rack inserts and 1 fixed bottom display wine rack insert. Optional shelf inserts include tempered glass shelf inserts making it easy to adapt to food and beverage storage needs
- Unit ships right hinged with field-reversible doors
- Stainless model includes a 1" diameter stainless steel handle with faceted standoffs (26" length)
- Panel ready model requires ¾" custom door panel and handle
- Precise zero clearance design allows for unmatched integration into any built-in setting
- 4 Independent adaptable leveling legs
- Adaptable grille accepts an integrated toe kick and allows front/back and up/down alignment with adjacent cabinetry and toe kick/plinth
- Automatic defrost
- Lock standard on stainless steel model

Stainless
with Lock

Panel Ready

Model Details

Model	Lock	Finish	Description	Shipping Weight
SW15SZSS	Yes	Stainless Steel Frame	15" Single Zone Wine Refrigerator, Factory Installed Lock	117 lbs
SW15SZPR	No	Panel Ready Frame	15" Single Zone Wine Refrigerator	115 lbs

Refer to page 52 for accessories

Dimensions/Weight	Detail
Product Depth	23 ¼"
Product Height	34" - 35"
Product Width	14 ¾"
Product Weight	120 lbs
Shipping Dimensions	17 ¾" x 27 ½" x 36 ¾"
Shipping Weight	117 lbs
Bottle Capacity	Up to 23 (750 ml) standard bottles

Integration/Panel Information*	Detail
Panel Height	30" - 31"
Panel Thickness	¾"
Panel Width	14 ¾"
Maximum Panel Weight	25 lbs

*Refer to manual for all panel and installation instructions



Indoor | 24" Single Zone Wine Refrigerator

Series 5

- Preserves up to 51 (750 ml) wine bottles
- Energy Star rated
- Low e, argon gas-filled triple-paned tempered glass door with uv coating
- Signature SAPPHIRE blue interior
- Full wrapped stainless-steel exterior
- Articulating, concealed self-closing hinges with built-in door stop
- Multifunction capacitive touch electronic control
- Temperature settings range from 34 °F to 65 °F; allows for ideal preservation of any collection
- Fan-assisted cooling system allows for even temperatures, quicker cooldown times, and added efficiency
- Full-length flush LED theater lighting can be set to display your collection for 4 or 6 hours or schedule nightlight feature
- Adaptable racking system includes 7 stainless front, full-extension racks with 6 gray wine rack inserts and 1 bottom half wine rack insert. Optional shelf inserts include tempered glass shelf inserts and/or chrome-plated wire shelf inserts making it easy to adapt to food and beverage storage needs
- Unit ships right hinged with field-reversible doors
- Stainless model includes a 1" diameter stainless steel handle with faceted standoffs (26" length)
- Panel ready model requires ¾" custom door panel and handle
- Precise zero clearance design allows for unmatched integration into any built-in setting
- 4 Independent adaptable leveling legs
- Adaptable grille accepts an integrated toe kick and allows front/back and up/down alignment with adjacent cabinetry and toe kick/plinth
- Automatic defrost
- Lock standard on stainless model

Stainless
with Lock

Panel Ready

Model Details

Model	Lock	Finish	Description	Shipping Weight
SW24SZSS	Yes	Stainless Steel Frame	24" Single Zone Wine Refrigerator, Factory Installed Lock	195 lbs
SW24SZPR	No	Panel Ready Frame	24" Single Zone Wine Refrigerator	188 lbs
SW24DZSS	Yes	Stainless Steel Frame	24" Dual Zone Wine Refrigerator, Factory Installed Lock	194 lbs
SW24DZPR	No	Panel Ready Frame	24" Dual Zone Wine Refrigerator	187 lbs

Refer to page 53 for accessories

Dimensions/Weight	Detail
Product Depth	23 ¼"
Product Height	34" - 35"
Product Width	23 ⅞"
Product Weight	165 lbs
Shipping Dimensions	26 ¾" x 27 ½" x 36 ¾"
Shipping Weight	195 lbs
Bottle Capacity	Up to 51 (750 ml) standard bottles

Integration/Panel Information*	Detail
Panel Height	30" - 31"
Panel Thickness	¾"
Panel Width	23 ⅞"
Maximum Panel Weight	25 lbs

*Refer to manual for all panel and installation instructions






2 Argon Gas Canisters included with unit to support over 200 bottles of wine distribution



LED lighting can be selected independently for each cooling zone



Easy-to-use electronic controls actively manage your refrigeration system, including lighting and dispensing



Adaptable racking system with 12 wine racks and 3 chrome wire shelves



Fan-assisted cooling system allows for even temperatures, quicker cooldown times, and added efficiency



Wine Storage area can be locked to protect your collection



Model Details

Model	Finish	Description	Shipping Weight
SW643TZBLK	Matte black prepainted cabinet	Four-Pour Triple Zone Wine Bar	253 lbs

- Features 3 independently controlled temperature zones and 4 dispensable Wine Bottles
- Preserves up to 64 (750ML) Wine Bottles and 18 (187ML) Mini Champagne Bottles
- Designed to store - chill and dispense wine bottles and store additional beverages
- Each Wine Zone's Temperature settings range from 50°F to 65°F and Beverage Cooler from 38°F to 65°F
- Dual-paned tempered glass door with UV coating to shield wine from harmful light
- This model is equipped with a sleek black glass door with designer handle
- 2 Argon Gas Canisters included with unit to support over 200 bottles of wine distribution

Dimensions/Weight	Detail
Product Depth	15 7/10"
Product Height	71 13/20"
Product Width	26 57/100"
Product Weight	253 lbs
Shipping Dimensions	30" x 36" x 80"
Shipping Weight	253.5 lbs
Bottle Capacity	Up to 64 (750 ml) standard bottles



ACCESSORIES

Sapphire is engineered to give you the ability to manage a variety of wine bottles, can sizes and other refrigerated needs.

The cantilevered racking system and interchangeable inserts make it easy to adapt to most food and beverage storage.

Inserts are available with wine racks, tempered glass shelves and chrome-plated wire shelves if out of the box configurations are not ideal for your current or evolving needs.



Engineered to manage a variety of refrigerated needs.



Available with wine racks, tempered glass shelves and chrome-plated wire shelves.

Accessories



A. 15" Full-Extension Shelf Frame



B. 15" Standard (750 ml) Wine Rack Insert



C. 15" Specialty (750 ml) Wine Rack Insert




D. 15" Tempered Glass Shelf Insert




E. 24" Full-Extension Shelf Frame



F. 24" Standard (750 ml) Wine Rack Insert



G. 24" Specialty (750 ml) Wine Rack Insert



H. Tempered Glass Shelf Insert



I. 24" Chrome Wire Shelf Insert

Accessories for 15" Units

	Part Number	Material	Description
A	601564	Stainless Steel	15" Full-Extension Shelf Frame
B	617063	Powder Coated Steel	15" Standard (750 ml) Wine Rack Insert
C	617064	Powder Coated Steel	15" Specialty (750 ml) Wine Rack Insert
D	674001	Tempered Glass	15" Tempered Glass Shelf Insert

Accessories for 24" Units

	Part Number	Material	Description
E	601484	Stainless Steel	24" Full-Extension Shelf Frame
F	617059	Powder Coated Steel	24" Standard (750 ml) Wine Rack Insert
G	617060	Powder Coated Steel	24" Specialty (750 ml) Wine Rack Insert
H	674000	Tempered Glass	24" Tempered Glass Shelf Insert
I	617066	Chrome	24" Chrome Wire Shelf Insert
J	601503		Replacement Water Filter, Series 5 Ice Machine

All specifications are subject to change without notice.

Contact Us

Customer Service: 866.754.6672
SAPPHIRE Appliances | The Legacy Companies
3355 Enterprise Avenue, Suite 160, Fort Lauderdale, FL 33331

Sales@SapphireAppliances.com | SapphireAppliances.com

Limited Warranty

The Legacy Companies warrants to the original purchaser of its SAPPHIRE products that they will be free from defects in materials and workmanship for the following time periods from the date of purchase shown on the sales receipt:

Two (2) Years Parts & On-Site Labor
Five (5) Years Compressor Warranty (Parts Only)

See complete warranty for details.

ALL REPAIRS AND SERVICE MUST BE MADE BY A SAPPHIRE
AUTHORIZED TECHNICIAN.

SAPPHIRE

SapphireAppliances.com | 866.754.6672
SAPPHIRE Appliances | The Legacy Companies
3355 Enterprise Avenue, Suite 160, Fort Lauderdale, FL 33331